Page 1 of 2

EXECUTIVE SUMMARY - ENFORCEMENT MATTER DOCKET NO.: 2006-1565-PST-E TCEQ ID: RN101259067 CASE NO.: 31188 RESPONDENT NAME: AFZAL SHEKHANI DBA BENDER TEXACO

ORDER TYPE:	·	
_1660 AGREED ORDER	FINDINGS AGREED ORDER	FINDINGS ORDER FOLLOWING SOAH HEARING
X FINDINGS DEFAULT ORDER	_SHUTDOWN ORDER	IMMINENT AND SUBSTANTIAL ENDANGERMENT ORDER
AMENDED ORDER	EMERGENCY ORDER	
CASE TYPE:		
AIR	MULTI-MEDIA (check all that apply)	INDUSTRIAL HAZARDOUS WASTE
PUBLIC WATER SUPPLY	X_PETROLEUM STORAGE TANKS	OCCUPATIONAL CERTIFICATION
WATER QUALITY	UNDERGROUND INJECTION CONTROL	
MUNICIPAL SOLID WASTE	RADIOACTIVE WASTE	DRY CLEANER REGISTRATION
facility location. INTERESTED PARTIES: No one other the COMMENTS RECEIVED: The Texas Reg CONTACTS AND MAILING LIST: TCEQ Attorney: Ms. Dinniah M. Ms. Lena Rober TCEQ Enforcement Coordinator: TCEQ Regional Contact: Ms. Nico Respondent: Mr. Afzal Shekhani, 2		terest in this matter. 09. No comments were received. 89-0617 19 2tion, MC 128, (512) 239-0577 2, (713) 767-3623

RESPONDENT NAME: AFZAL SHEKHANI DBA BENDER TEXACO DOCKET NO.: 2006-1565-PST-E

VIOLATION SUMMARY CHART:		
VIOLATION INFORMATION	PENALTY CONSIDERATIONS	CORRECTIVE ACTIONS TAKEN/REQUIRED
Type of Investigation: Complaint Routine Enforcement Follow-up Records Review	Total Assessed: \$11,000 Total Deferred: \$0 Expedited Order Financial Inability to Pay SEP Conditional Offset	Corrective Action Taken: The Executive Director recognizes that Thomson Enterprises, Inc. registered as the owner and operator of the Station on September 20, 2006.
Date of Complaint Relating to this Case: None	Total Due to General Revenue: \$11,000	
Date of Investigation Relating to this Case: July 18, 2006 Date of NOE Relating to this Case: August 31, 2006	This is a Default Order. The Respondent has not actually paid any of the assessed penalty but will be required to do so under the terms of this proposed Order.	
Background Facts: The EDPRP was filed on February 26, 2007 and mailed to the Respondent via certified mail, return receipt requested, and via first	Site Compliance History Classification X High Average Poor Person Compliance History	
class mail, postage prepaid. According to the return receipt "green card," the Respondent received notice of the EDPRP on February 28, 2007, as evidenced by the signature on the card. The Respondent failed to answer the EDPRP, failed to request a hearing, and failed to schedule a settlement conference.	Classification High X Average Poor Major Source: Yes X No	
Current Compliance Status: Thomson Enterprises, Inc. registered as the owner and operator of the station on September 20, 2006.	Applicable Penalty Policy: September 2002	
PST: 1. Failed to verify proper operation of the Stage II equipment at least once every 36 months [30 Tex. ADMIN. CODE § 115.245(2) and Tex. HEALTH & SAFETY CODE § 382.085(b)].		
2. Failed to provide and maintain the Stage II Vapor Recovery System in proper operating condition and free of defects [30 Tex. ADMIN. CODE § 115.242(3)(A) and Tex. HEALTH & SAFETY CODE § 382.085(b)].		
3. Failed to inspect the impressed current cathodic protection system at least once every 60 days to ensure that the rectifier and other system components were operating properly [30 Tex. ADMIN. CODE § 334.49(c)(2)(C) and Tex. WATER CODE § 26.3475(d)].		
4. Failed to test the line leak detectors at least once per year for performance and operational reliability and failed to conduct reconciliation of detailed inventory control records at least once each month, sufficiently accurate to detect a release as small as the sum of 1.0% of the total substance flow through for the month plus 130 gallons [30 Tex. ADMIN. CODE § 334.50(b)(2)(A)(i)(III) and (d)(1)(B)(ii) and Tex. WATER CODE § 26.3475(a) and (c)(1)].		
5. Failed to conduct effective manual or automatic inventory control procedures for all USTs involved in the retail sale of petroleum substances used as a motor fuel [30 Tex. ADMIN. CODE § 334.48(c)].		

Page 1 of 12	01/20/09	H:\ENFORCE\D	Chahin\Bende	r Texa	co - PST	\Bender Texa	co_LD ReferralPCW1.c	lbw
F **	P	enalty Ca	culation	\/\or	kshee	at (PCW)		
Policy Revision 2			iodiation	V V O I	NOI ICC		PCW Revision May	19. 2005
TCEQ	(Copiolisiae 2002)							,
DATES Assigned	05-Sep-2006	money medicine per lightly	n ka patelyläänine ka	avatica) es	. 10.427-41-11	aniii in	an titli andres i. Aprilianzarski skri	ortificial principle Control Con-
	26-Feb-2007		12-Sep-2006		PA Due	uti timi Kalandinatti ili sila dale	1	on production of the
	20-1 eb-2007	Jocieening	12-0ep-2000		LY Dae		J	***************************************
RESPONDENT/FACIL	ITY INFORMA	ATION	TÄRKÄÄRASÄVÄLLÄLAI.	ZORULIVE,	Secretary States	dise keritakan menga	Hijaski malaysiya Kapataya Alaysi	974976.103a.19241
Galleria de la compania de la compa		ni dba Bender T	exaco	#5####################################		master alminantitude col	144.47.1434.1444.144.144.144.144.144.144.144.1	7,000
Reg. Ent. Ref. No.			-					
Facility/Site Region		· · · · · · · · · · · · · · · · · · ·		<	Maior/i	Minor Source	Minor Source	<
		······································		H		······································		
CASE INFORMATION				S. Prizici				
Enf./Case ID No.		38800 100		1786anii 976	No.	of Violations	5	
	2006-1565-PS	ST-E				Order Type	1660	<
Media Program(s)				<	Enf.		Rajesh Acharya	
Multi-Media			,				Enforcement Team 7	<
Admin. Penalty \$ Li		\$0	Maximum	\$1	0,000		<u> </u>	(Admin
······································	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							
				7.				

OTAL BASE PEN	ALTY (Sum of violation base penalties)	Subtotal 1	\$11,000
	-/-) TO SUBTOTAL 1 btained by multiplying the Total Base Penalty (Subtotal 1) by the indicated percentage. Istory 0% Enhancement Subto	otals 2, 3, & 7	\$0
Notes	No adjustment due to compliance history.	National Conference (1985) and Salaman	
Culpability	No < 0% Enhancement	Subtotal 4	\$0
Notes	The respondent does not meet the culpability criteria.		
Good Faith Ef Extraordinary Ordinary N/A Notes	fort to Comply Before NOV NOV to EDPRP/Settlement Offer X (mark with a small x) The respondent does not meet the good faith criteria.	Subtotal 5	\$0
	nefit 0% Enhancement* Total EB Amounts \$1,277 *Capped at the Total EB \$ Amount ost of Compliance \$3,650	Subtotal 6	\$0
UM OF SUBTOT	ALS:1-7	inal Subtotal	\$11,000
atti atti otti oli kaisen makkinin talkinin etti siinetti ona killi esimenti siiri ka	AS JUSTICE MAY REQUIRE al Subtotal by the indicated percentage. (Enter number only; e.g30 for -30%.)	Adjustment	\$0
Notes	Fi - 1 B	nolfy Amount	¢44.000
dokoninikale tendre kompolitika, makokini itelak kirinten kuzuna		nalty Amount	\$11,000
TATUTORY LIMI	T ADJUS I MENT Final Asse	ssed Penalty	\$11,000
	Reduction	Adjustment	\$0

Screening Date 12-Sep-2006

Docket No. 2006-1565-PST-E

PCW

Respondent Afzal Shekhani dba Bender Texaco

Case ID No. 31188

Policy Revision 2 (September 2002) PCW Revision May 19, 2005

Reg. Ent. Reference No. RN101259067

Media [Statute] Petroleum Storage Tank

Enf. Coordinator Rajesh Acharya

Component	Number of Enter	Number Here	Adjust.
	Written NOVs with same or similar violations as those in the current	0	0%
NOVs	enforcement action (number of NOVs meeting criteria)		
······································	Other written NOVs	0	0%
	Any agreed final enforcement orders containing a denial of liability (number of orders meeting criteria)	0	0%
Orders	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	0	0%
Judgments and	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (number of judgements or consent decrees meeting criteria)	0	0%
Consent Decrees	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%
Convictions	Any criminal convictions of this state or the federal government (number of counts)	0	0%
Emissions	Chronic excessive emissions events (number of events)	0	0%
	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which notices were	0	0%
Audits	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which violations were disclosed)	0	0%
		ter Yes or No	
	Environmental management systems in place for one year or more	No	0%
Other	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%
Other	Participation in a voluntary pollution reduction program	No	0%
.,,,	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%
	Adjustment Percen	tage (Su	btotal 2)
eat Violato	r (Subtotal 3)		
No	Adjustment Percen	tage (Su	btotal 3)
npliance Hi	story Person Classification (Subtotal 7)		
Average Per	former < Adjustment Percen	tage (Su	btotal 7)
npliance Hi	story Summary		
Compliance story Notes	IND SAUDSTMENT ALIE TO COMPULANCE DISTORY		

H:\ENFORCE\DChahin\Bender Texaco - PST\Bender Texaco_LD ReferralPCW1.qpw Screening Date 12-Sep-2006 Docket No. 2006-1565-PST-E Respondent Afzal Shekhani dba Bender Texaco Policy Revision 2 (September 2002) Case ID No. 31188 PCW Revision May 19, 2005 Reg. Ent. Reference No. RN101259067 Media [Statute] Petroleum Storage Tank Enf. Coordinator Rajesh Acharya Violation Number 30 Tex. Admin. Code § 334.49(c)(2)(C) Primary Rule Cite(s) Tex, Water Code § 26.3475(d) Secondary Rule Cite(s) Failed to inspect the impressed current cathodic protection system at least once every 60 days to ensure that the rectifier and other system Violation Description components were operating properly. \$10,000 **Base Penalty** Environmental, Property and Human Health Matrix Harm Release Moderate OR Actua 25% Percent Potential Programmatic Matrix Falsification Major Moderate Minor Percent Human health or the environment will or could be exposed to pollutants which would exceed levels that are protective of human health or Matrix Notes environmental receptors as a result of the violation Adjustment \$2,500 Base Penalty Subtotal Violation Events Number of Violation Events daily monthly Violation Base Penalty \$2,500 mark only one auarteriv use a small x semiannua annua One quarterly event is recommended from the investigation date of July 18, 2006 to the screening date of September 12, 2006.

Economic Benefit (EB) for this violation

\$16

Estimated EB Amount

Statutory Limit Test

Violation Final Penalty Total

This violation Final Assessed Penalty (adjusted for limits)

\$2,500

\$2,500

Respondent Case ID No. Reg. Ent. Reference No.	Afzal Shekhan 31188	i dba Bender ⁻	Benefit Wo Texaco	rkshe	et		
Media [Statute] Violation No.	Petroleum Sto			00442042404440		Percent Interest	Years of Depreciation
	ltem	Date	Final	Yrs	Interest	5.0 Onetime	15 EB
ltem	Cost	Required	Date		Saved	Costs	Amount
Description	No commas or \$						
Delayed Costs							
Equipment	-			0.0	\$0	\$0	\$0
Buildings				0.0	\$0	\$0	\$0
Other (as needed)				0.0	\$0	\$0	\$0
Engineering/construction		viavoanne namino on mnonimonim		0.0	\$0	\$0	\$0
Land				0.0	\$0	n/a	\$0
Record Keeping System				0.0	\$0	n/a	\$0
Training/Sampling				0.0	\$0	n/a	\$0
Remediation/Disposal				0.0	\$0	n/a	\$0
Permit Costs				0.0	\$0	n/a	\$0
Other (as needed)			18-Jun-2007	0.9	\$16	n/a	\$16
Notes for DELAYED costs	Estimated co	st to inspect th	ne rectifier. Date the estimate			tigation date.	Final Date is
Avoided Costs	ANNI	JALIZE [1] avoide	ed costs before en	ipinimi.mamiyinii			
Disposal				0.0	\$0	\$0	\$0
Personnel				0.0	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.0	\$0	\$0	\$0
Supplies/equipment				0.0	\$0	\$0	\$0
Financial Assurance [2]			<u> </u>	0.0	\$0	\$0	\$0
ONE-TIME avoided costs [3]				0.0	\$0	\$0	\$0
Other (as needed)				0.0	\$0	\$0	\$0
Notes for AVOIDED costs	nepagnatananananananananananananananananana	naconara a companda a companda	anannannannannannannannannannannannanna	CONDENSACION	nneuanusmostu alkudderhaa rouaa	non commonantimino contractor.	nuannnannannannuutumuuren
Approx. Cost of Compliance	\$350					TOTAL[\$16

Page 5 of 12 01/20/09 H:\ENFORCE\DChahin\Bender Texaco - PST\Bender Texaco_LD ReferralPCW1.qpw Screening Date 12-Sep-2006 PCW Docket No. 2006-1565-PST-E Respondent Afzal Shekhani dba Bender Texaco Policy Revision 2 (September 2002) Case ID No. 31188 PCW Revision May 19, 2005 Reg. Ent. Reference No. RN101259067 Media [Statute] Petroleum Storage Tank Enf. Coordinator Rajesh Acharya Violation Number 30 Tex. Admin. Code § 334.50(b)(2)(A)(i)(III) and 334.50(d)(1)(B)(ii) Primary Rule Cite(s) Tex. Water Code § 26.3475(a) and 26.3475(c)(1) Secondary Rule Cite(s) Failed to test the line leak detectors at least once per year for performance and operational reliability. Failed to conduct reconciliation of detailed inventory control records at least once each month, sufficiently Violation Description accurate to detect a release as small as the sum of 1.0% of the total substance flow-through for the month plus 130 gallons. \$10,000 **Base Penalty** Environmental, Property and Human Health Matrix Harm Release Moderate OR Actual Percent 25% Potential X Programmatic Matrix Falsification Major Moderate Minor Percent Human health or the environment will or could be exposed to pollutants Matrix Notes which would exceed levels that are protective of human health or environmental receptors as a result of the violation Adjustment \$2,500 Base Penalty Subtotal Violation Events Number of Violation Events daily monthly Violation Base Penalty \$2,500 guarterly mark only one use a small : semiannual annua One quarterly event is recommended from the investigation date of July 18, 2006 to the screening date of September 12, 2006. Statutory Limit Test Economic Benefit (EB) for this violation **Violation Final Penalty Total** \$2,500 \$69 Estimated EB Amount \$2,500 This violation Final Assessed Penalty (adjusted for limits)

Violation No.	Petroleum Sto	rage Tank				Percent	Years of
Violation No.	2	a	-in the name of the state status and	YUDBAT SOAS IPHOS		Interest	Depreciatio
					er e	5.0	1
	ltem	Date	Final	Yrs.	Interest	Onetime	EB.
ltem	Cost	Required	Date		Saved	Costs	Amount
Description	No commas or \$	Seighi Productions					
Delayed Costs							
Equipment				0.0	\$0	\$0	9
Buildings				0.0	\$0	\$0	
Other (as needed)				0.0	\$0	\$0	
Engineering/construction		***************************************		0.0	\$0	\$0	
Land				0.0	\$0	n/a	
Record Keeping System				0.0	\$0	n/a	
Training/Sampling				0.0	\$0	n/a	
Remediation/Disposal				0.0	\$0	n/a	
Permit Costs				0.0	\$0	n/a	
Other (as needed)		18-Jul-2006	18-Jun-2007	0.9	\$69∦	n/a	\$6
	Estimated cost		Ts for releases				
Notes for DELAYED costs	the da	ate of the inves	tination Final I				
Notes for DELAYED costs	the da	ate of the inves	tigation. Final L	Jale IS I	ne estimated t	ate of compile	
Notes for DELAYED costs					MANAGAMAN AND AND AND AND AND AND AND AND AND A		
Notes for DELAYED costs			itigation. Final L	tering ite	m (except for one	time avoided co	osts)
Avoided Costs Disposal				tering ite	m (except for one	-time avoided co \$0 ∤	osts)
Avoided Costs Disposal Personnel				tering ite	m (except for one \$0 \$0	e-time avoided co \$0 \$0	osts)
Avoided Costs Disposal Personnel spection/Reporting/Sampling				tering ite 0.0 0.0	m (except for one \$0 \$0 \$0	e-time avoided co \$0 \$0 \$0 \$0	sats)
Avoided Costs Disposal Personnel spection/Reporting/Sampling Supplies/equipment				tering ite	m (except for one \$0 \$0 \$0 \$0	9-time avoided co \$0 \$0 \$0 \$0 \$0	sts)
Avoided Costs Disposal Personnel spection/Reporting/Sampling Supplies/equipment Financial Assurance [2]				tering ite 0.0 0.0 0.0 0.0 0.0	m (except for one \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	e-time avoided cc \$0 \$0 \$0 \$0 \$0 \$0	osts)
Avoided Costs Disposal Personnel spection/Reporting/Sampling Supplies/equipment				tering ite	m (except for one \$0 \$0 \$0 \$0	9-time avoided co \$0 \$0 \$0 \$0 \$0	sts)

Page 7 of 12 01/20/09 H:\ENFORCE\DChahin\Bender Texaco_PST\Bender Texaco_LD ReferralPCW1.qpw **PCW** Screening Date 12-Sep-2006 Docket No. 2006-1565-PST-E Respondent Afzal Shekhani dba Bender Texaco Policy Revision 2 (September 2002) Case ID No. 31188 PCW Revision May 19, 2005 Reg. Ent. Reference No. RN101259067 Media [Statute] Petroleum Storage Tank Enf. Coordinator Raiesh Acharva Violation Number 30 Tex. Admin. Code § 334.48(c) Primary Rule Cite(s) Secondary Rule Cite(s) Failed to conduct effective manual or automatic inventory control Violation Description procedures for all USTs involved in the retail sale of petroleum substances used as a motor fuel. \$10,000 **Base Penalty** Environmental, Property and Human Health Matrix >> Harm Release Moderate Minor Major OR Actual Percent 25% Potential **Programmatic Matrix** Falsification Moderate Minor Percent Human health or the environment will or could be exposed to pollutants which would exceed levels that are protective of human health or Matrix Notes environmental receptors as a result of the violation. Adjustment \$2,500 Base Penalty Subtotal Violation Events Number of Violation Events daily monthly \$2,500 Violation Base Penalty mark only one quarterly X semiannual use a small x annua single event One quarterly event is recommended from the investigation date of July 18, 2006 to the screening date of September 12, 2006. Economic Benefit (EB) for this violation Statutory Limit Test \$2,500 Estimated EB Amount \$23 Violation Final Penalty Total This violation Final Assessed Penalty (adjusted for limits) \$2,500

Page 9 of 12 01/20/09 H:\ENFORCE\DChahin\Bender Texaco - PST\Bender Texaco_LD ReferralPCW1.qpw PCW Screening Date 12-Sep-2006 Docket No. 2006-1565-PST-E Respondent Afzal Shekhani dba Bender Texaco Policy Revision 2 (September 2002) Case ID No. 31188 PCW Revision May 19, 2005 Reg. Ent. Reference No. RN101259067 Media [Statute] Petroleum Storage Tank Enf. Coordinator Rajesh Acharya Violation Number 30 Tex. Admin. Code § 115.245(2) Primary Rule Cite(s) Tex. Health & Safety Code § 382.085(b) Secondary Rule Cite(s) Failed to verify proper operation of the Stage II equipment at least once Violation Description every 36 months. Specifically, the respondent did not conduct the triennial test. \$10,000 **Base Penalty** Environmental, Property and Human Health Matrix Harm Release Moderate Major Minor OR Actual Percent 25% Potential Programmatic Matrix >> Moderate Minor Falsification Мајог Percent Human health or the environment will or could be exposed to pollutants which would exceed levels that are protective of human health or Matrix Notes environmental receptors as a result of the violation. Adjustment \$2,500 Base Penalty Subtotal Violation Events Number of Violation Events daily monthly \$2,500 Violation Base Penalty mark only one quarterly use a small x semiannuai annuai ingle event One single event is recommended for the three year period preceding the

July 18, 2006 investigation.

\$2,500

\$2,500

Violation Final Penalty Total

This violation Final Assessed Penalty (adjusted for limits)

Economic Benefit (EB) for this violation Statutory Limit Test

\$1,150

Estimated EB Amount

Respondent A Case ID No. 3 Reg. Ent. Reference No. R	fzal Shekhan 1188	i dba Bender 1	enefit Wo exaco	rkshe	et		
Media [Statute] ₽	etroleum Sto	rage Tank			13	Percent	Years of
Violation No. 4	as negació mediantes de trades o	nedeci medeli laccini regioni centra	c temperaturam a caracanas caraca	san Yakan dayana ji.	STORY ON NORTH AND THE AND	carrenary or in a self-room recognition as a	Depreciation
						5.0	15
	Item	Date	Final	Yrs	Interest	Onetime	EB
ltem 🔻	Cost	Required	Date		Saved	Costs	Amount
Description N	o commas or \$						
Delayed Costs							
Equipment				0.0	\$0	\$0	\$0
Buildings				0.0	\$0	\$0	\$0
Other (as needed)				0.0	\$0	\$0	\$(
Engineering/construction				0.0	\$0	\$0	\$0
Land				0.0	\$0	n/a	\$0
Record Keeping System				0.0	\$0	n/a	\$(
Training/Sampling				0.0	\$0	n/a	\$(
Remediation/Disposal				0.0	\$0	n/a	\$(
Permit Costs		***************************************		0.0	\$0	n/a	\$(
Other (as needed)				0.0	\$0	n/a	\$0
Notes for DELAYED costs . Avoided Costs	THE STATE OF THE S		d costs before en			Hime avoided on	
Avoided Costs Disposal	ANN	JACIZE [1] avoide	u costs perure en	0.0	\$0	\$0	\$(
Personnel	***************************************			0.0	\$0	\$0	\$(
Inspection/Reporting/Sampling		***************************************	***************************************	0.0	\$0	\$0	\$(
Supplies/equipment				0.0	\$0	\$0	\$(
Financial Assurance [2]	contractive autonomic de la contractive de la co			0.0	\$0	\$0	\$(
ONE-TIME avoided costs [3]				0.0	\$0	\$0	\$(
Other (as needed)	\$1,000	18-Jul-2003	18-Jul-2006	3.0	\$150	\$1,000	\$1,150
	voided cost t		riennial test. D inal date is the				investigation
Berlin Co.							

Page 11 of 12 01/20/09 H:\ENFORCE\DChahin\Bender Texaco - PST\Bender Texaco_LD ReferralPCW1.qpw

Screening Dat	e 12-Sep-2006	Do	cket No. 2006-1565-F	PST-E	······································	PCW
	it Afzal Shekhani dba	the state of the state of	and the contract of the contra		Policy Revi	sion 2 (September 2002)
Case ID No					-	W Revision May 19, 2005
Reg. Ent. Reference No						, , , , , , , , , , , , , , , , , , ,
NAME OF TAXABLE OF TAX	Petroleum Storage	Tank				·
Enf. Coordinate		Tunk				
Violation Numb						
Primary Rule Cite(30 Tex. Adm	in. Code § 115.242(3)(A))		
Secondary Rule Cite(ex. Health &	Safety Code § 382.085(I	b)		
Violation Description	Failure to provide proper operating	condition and s were not in	n the Stage II Vapor Red d free of defects. Specifi Installed on the fill port or connection.	cally, the S	Stage I	
				Base	Penalty [\$10,000
>> Environmental, P	roperty and Hum	an Health	Matrix			THE STATE OF THE S
Livitoninginal, F	Harm	unanganul		A SENERAL SERVICE		
Releas		Minor				
OR Actu			_			
Potent	al X		Percent	10%		
				•		
>> Programmatic Ma	and the second markets and control of the control o	Minor				
Falsification	on Major Moderate	Minor	Percent			
			<u> </u>			
Matrix Notes amount	s of pollutants which v	vould not exc	could be exposed to signeed levels that are prote rs as a result of the viola	ective of		
	The state of the s		Adju	ıstment	-\$9,000	,
			Base	Penalty S	Subtotal [\$1,000
Violation Events						
Number of Viol	ation Events 1					
mark only o use a smal	daily monthly are quarterly x		Viola	tion Base	Penalty [\$1,000
One qu			m the investigation date f September 12, 2006.	of July		
Economic Benefi	t (EB) for this vio	lation	Statutory	Limit Te	st	
Estimated	EB Amount \$1	9	Violation F	inal Penal	ity Total [\$1,000
	This v	iolation Fin	al Assessed Penalty (a	djusted fo	r limits)	\$1,000

化建铁铁铁矿 化氯化钠 化二氯甲基二甲基甲基二甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基	Ec	onomic B	enefit Wo	rkshe	et		
	Afzal Shekhan	i dba Bender T	Гехасо				
Case ID No.							
Reg. Ent. Reference No.					3000		
Media [Statute]		rage Tank				Percent	Years of
Violation No.	5	s non appearant nan turant between	on de nandonies verbieres som	tanton/600um(40)	-reasonera-remaios	Interest	Depreciatio
						5.0	de demonstration de la communicación del communicación de la communicación de la communicación del communicación de la communi
	ltem	Date	Final	Yrs	Interest	Onetime	EB
Item	Cost	Required	Date		Saved	Costs	Amount
Description	No commas or \$						g san Masa
Delayed Costs				arangana an Tabaharan Sadumaharan			
Equipment	\$300	18-Jul-2006	18-Jun-2007	0.9	\$1	\$18	\$1
Buildings				0.0	\$0	\$0	\$
Other (as needed)				0.0	\$0	\$0	\$
Engineering/construction	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			0.0	\$0	\$0	\$
Land				0.0	\$0	n/a	\$
Record Keeping System				0.0	\$0	n/a	\$
Training/Sampling				0.0	\$0	n/a	\$
Remediation/Disposal				0.0	\$0	n/a	\$
Permit Costs	***************************************			0.0	\$0	n/a	\$
Other (as needed)				0.0	\$0	n/a:-	\$
Notes for DELAYED costs	Estimated cos	t to replace ad	apters. Date Re estimated o			ition date. Fir	nal Date is the
111							
				dairda kaladarisa			V7 V4
Avoided Costs	ANNU	JALIZE [1] avoide	ed costs before en		illeiden er	ricinal dani dani da katalan da k	
Disposal	ANN	JALIZE [1] avoide	ed costs before en	0.0	\$0	\$0	\$
Disposal Personnel	ANNI	JALIZE [1] avoide	ed costs before en	0.0	\$0 \$0	\$0 \$0	\$ \$
Disposal Personnel spection/Reporting/Sampling	ANNU	JALIZE [1] avoide	d costs before en	0.0 0.0 0.0	\$0 \$0 \$0	\$0 \$0 \$0	\$ \$ \$
Disposal Personnel spection/Reporting/Sampling Supplies/equipment	ANNU	JALIZE [1] avoide	d costs before en	0.0 0.0 0.0 0.0	\$0 \$0 \$0 \$0	\$0 \$0 \$0 \$0	\$ \$ \$ \$
Disposal Personnel nspection/Reporting/Sampling Supplies/equipment Financial Assurance [2]	ANNU	JALIZE [1] avoide	d costs before en	0.0 0.0 0.0 0.0 0.0	\$0 \$0 \$0 \$0 \$0	\$0 \$0 \$0 \$0 \$0 \$0	\$ \$ \$ \$
Disposal Personnel Sersonnel Sersonn	ANN	JALIZE [1] avoide	od costs before en	0.0 0.0 0.0 0.0	\$0 \$0 \$0 \$0	\$0 \$0 \$0 \$0	\$ \$ \$
Disposal Personnel Ispection/Reporting/Sampling Supplies/equipment Financial Assurance [2] ONE-TIME avoided costs [3]	ANN	JALIZE [1] avoide	d costs before en	0.0 0.0 0.0 0.0 0.0	\$0 \$0 \$0 \$0 \$0 \$0 \$0	\$0 \$0 \$0 \$0 \$0 \$0 \$0	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$

Compliance History

Custome	r/Respondent/Owner-Operator:	CN600691943	SHEK	HANI, AFZAL		Classification: AVERAGE	Rating: 2.0
Regulate	d Entity:	RN101259067	BEND	DER TEXACO		Classification: HIGH	Site Rating: 0.0
ID Numbe	er(s):	PETROLEUM ST REGISTRATION	ORAGE	TANK	REGISTRA	TION	38239
Location:			NDER R	D, HOUSTON, TX, 7	7032	Rating Date: September 01	06 Repeat Violator: N
TCEQ Re	egion:	REGION 12 - HO	USTON				
Date Con	npliance History Prepared:	September 07, 20	06				
Agency E	Decision Requiring Compliance History:	Enforcement					
Complian	ce Period:	September 07, 20	001 to Se	ptember 07, 2006			
TCEQ St	aff Member to Contact for Additional Info	rmation Regarding t	his Comp	oliance History			
Name:	Rajesh Acharya	Pho	one:	(512) 239-0577	···	···	
		Site C	ompliar	nce History Comp	onents		
1. Has the	e site been in existence and/or operation	for the full five year	compliar	nce period?	Yes		
2. Has the	ere been a (known) change in ownership	of the site during th	e complia	ance period?	No		
3. If Yes,	who is the current owner?				N/A		
4. if Yes,	who was/were the prior owner(s)?				N/A		
5. When	did the change(s) in ownership occur?				N/A		
Compo	nents (Multimedia) for the Site :						
A.	Final Enforcement Orders, court judger	ments, and consent	decrees	of the state of Texas	and the federal	government.	
	N/A						
В.	Any criminal convictions of the state of	Texas and the feder	al govern	nment.			
0	N/A						
C.	Chronic excessive emissions events. N/A						
D.	The approval dates of investigations. (0	CCEDS Inv. Track N	Jo)				
Б.	1 08/31/2006 (480890)	30230 11111 17401111	,				
E.	Written notices of violations (NOV). (CC	CEDS Inv. Track. No	o.)				
	N/A						
F.	Environmental audits.						
	N/A						
G.	Type of environmental management sy	rstems (EMSs).					•
	N/A						
Н.	Voluntary on-site compliance assessment	ent dates.					
	N/A						
1.	Participation in a voluntary pollution rec	duction program.					
	N/A						
J.	Early compliance.						
	N/A						
Sites Out	side of Texas						
	N/A						

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



IN THE MATTER OF AN	§	BEFORE THE
ENFORCEMENT ACTION	§	
CONCERNING	§	TEXAS COMMISSION ON
AFZAL SHEKHANI DBA BENDER	§	
TEXACO,	§	ENVIRONMENTAL QUALITY
RN101259067	§ .	•

DEFAULT ORDER DOCKET NO. 2006-1565-PST-E

At its	agenda, the Texas Commission on Environmental	Quality,
("Commission" or "TCEQ") c	considered the Executive Director's Preliminary Report and	Petition
filed pursuant to TEX. WATER	CODE chs. 7 and 26, Tex. Health & Safety Code ch. 382,	, and the
rules of the TCEQ, which requ	ests appropriate relief, including the imposition of an admin	istrative
penalty. The respondent made	the subject of this Order is Afzal Shekhani dba Bender Texas	co ("Mr.
Shekhani").		1

The Commission makes the following Findings of Fact and Conclusions of Law:

FINDINGS OF FACT

- 1. At the time of the violations, Mr. Shekhani owned and operated a convenience store with retail sales of gasoline located at 2002 Aldine Bender Road, Houston, Harris County, Texas (the "Station").
- 2. Mr. Shekhani's three underground storage tanks ("USTs") are not exempt or excluded from regulation under the Texas Water Code or the rules of the Commission. Mr. Shekhani's USTs contain a regulated substance as defined in the rules of the Commission. The Station consists of one or more sources as defined in Tex. Health & Safety Code § 382.003(12).
- 3. During an inspection on July 18, 2006, a Houston Regional Office investigator documented that Mr. Shekhani:
 - a. Failed to verify proper operation of the Stage II equipment at least once every 36 months. Specifically, Mr. Shekhani did not conduct the triennial test.

- b. Failed to provide and maintain the Stage II Vapor Recovery System in proper operating condition and free of defects. Specifically, the Stage I swivel adapters were not installed on the fill port or the vapor line connection.
- c. Failed to inspect the impressed current cathodic protection system at least once every 60 days to ensure that the rectifier and other system components were operating properly.
- d. Failed to test the line leak detectors at least once per year for performance and operational reliability and failed to conduct reconciliation of detailed inventory control records at least once each month, sufficiently accurate to detect a release as small as the sum of 1.0% of the total substance flow through for the month plus 130 gallons.
- e. Failed to conduct effective manual or automatic inventory control procedures for all USTs involved in the retail sale of petroleum substances used as a motor fuel.
- 4. Mr. Shekhani received notice of the violations on or about September 5, 2006.
- 5. The Executive Director recognizes that Thomson Enterprises, Inc. registered as the owner and operator of the Station on September 20, 2006.
- 6. The Executive Director filed the "Executive Director's Preliminary Report and Petition Recommending that the Texas Commission on Environmental Quality Enter an Enforcement Order Assessing an Administrative Penalty Against and Requiring Certain Actions of Afzal Shekhani dba Bender Texaco" (the "EDPRP") in the TCEQ Chief Clerk's office on February 26, 2007.
- 7. By letter dated February 26, 2007, sent via certified mail, return receipt requested, and via first class mail, postage prepaid, the Executive Director served Mr. Shekhani with notice of the EDPRP. According to the return receipt "green card," Mr. Shekhani received notice of the EDPRP on February 28, 2007, as evidenced by the signature on the card.
- 8. More than 20 days have elapsed since Mr. Shekhani received notice of the EDPRP, provided by the Executive Director. Mr. Shekhani failed to file an answer to the EDPRP, failed to request a hearing, and failed to schedule a settlement conference.

CONCLUSIONS OF LAW

- 1. As evidenced by Finding of Fact Nos. 1 and 2, Mr. Shekhani is subject to the jurisdiction of the TCEQ pursuant to Tex. Water Code chs. 7 and 26, Tex. Health & Safety Code ch. 382, and the rules of the Commission.
- 2. As evidenced by Finding of Fact No. 3.a., Mr. Shekhani failed to verify proper operation of the Stage II equipment at least once every 36 months, in violation of 30 Tex. ADMIN. CODE § 115.245(2) and Tex. Health & Safety Code § 382.085(b).
- 3. As evidenced by Finding of Fact No. 3.b., Mr. Shekhani failed to provide and maintain the Stage II Vapor Recovery System in proper operating condition and free of defects, in violation of 30 Tex. ADMIN. CODE § 115.242(3)(A) and Tex. Health & Safety Code § 382.085(b).
- 4. As evidenced by Finding of Fact No. 3.c., Mr. Shekhani failed to inspect the impressed current cathodic protection system at least once every 60 days to ensure that the rectifier and other system components were operating properly, in violation of 30 Tex. ADMIN. CODE § 334.49(c)(2)(C) and Tex. Water Code § 26.3475(d).
- As evidenced by Finding of Fact No. 3.d., Mr. Shekhani failed to test the line leak detectors at least once per year for performance and operational reliability and failed to conduct reconciliation of detailed inventory control records at least once each month, sufficiently accurate to detect a release as small as the sum of 1.0% of the total substance flow through for the month plus 130 gallons, in violation of 30 Tex. ADMIN. CODE § 334.50(b)(2)(A)(i)(III) and 334.50(d)(1)(B)(ii) and Tex. WATER CODE § 26.3475(a) and 26.3475(c)(1).
- 6. As evidenced by Finding of Fact No. 3.e., Mr. Shekhani failed to conduct effective manual or automatic inventory control procedures for all USTs involved in the retail sale of petroleum substances used as a motor fuel, in violation 30 Tex. ADMIN. CODE § 334.48(c).
- 7. As evidenced by Finding of Fact Nos. 6 and 7, the Executive Director timely served Mr. Shekhani with proper notice of the EDPRP, as required by Tex. WATER CODE § 7.055 and 30 Tex. Admin. Code § 70.104(a).
- 8. As evidenced by Finding of Fact No. 8, Mr. Shekhani failed to file a timely answer to the EDPRP, as required by Tex. Water Code § 7.056 and 30 Tex. Admin. Code § 70.105. Pursuant to Tex. Water Code § 7.057 and 30 Tex. Admin. Code § 70.106, the Commission

Afzal Shekhani dba Bender Texaco DOCKET NO. 2006-1565-PST-E Page 4

may enter a Default Order against Mr. Shekhani and assess the penalty recommended by the Executive Director.

- 9. Pursuant to Tex. Water Code § 7.051, the Commission has the authority to assess an administrative penalty against Mr. Shekhani for violations of the Texas Water Code and the Texas Health and Safety Code within the Commission's jurisdiction; for violations of rules adopted under such statutes; or for violations of orders or permits issued under such statutes.
- 10. An administrative penalty in the amount of eleven thousand dollars (\$11,000.00) is justified by the facts recited in this Order, and considered in light of the factors set forth in Tex. Water Code § 7.053.
- 11. TEX. WATER CODE §§ 5.102 and 7.002 authorize the Commission to issue orders and make determinations necessary to effectuate the purposes of the statutes within its jurisdiction.

ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. Mr. Shekhani is assessed an administrative penalty in the amount of eleven thousand dollars (\$11,000.00) for violations of Tex. Water Code ch. 26, Tex. Health & Safety Code ch. 382, and the rules of the TCEQ. The payment of this administrative penalty and Mr. Shekhani's compliance with all the terms and conditions set forth in this Order completely resolve the matters set forth by this Order in this action. The Commission shall not be constrained in any manner from requiring corrective actions or penalties for other violations which are not raised here. All checks submitted to pay the penalty imposed by this Order shall be made out to the "Texas Commission on Environmental Quality." The administrative penalty assessed by this Order shall be paid within 30 days after the effective date of this Order and shall be sent with the notation "Re: Afzal Shekhani dba Bender Texaco; Docket No. 2006-1565-PST-E" to:

Financial Administration Division, Revenues Section Attention: Cashier's Office, MC 214 Texas Commission on Environmental Quality P.O. Box 13088 Austin, Texas 78711-3088

2. All relief not expressly granted in this Order is denied.

- 3. The provisions of this Order shall apply to and be binding upon Mr. Shekhani.
- 4. The Executive Director may grant an extension of any deadline in this Order or in any plan, report, or other document submitted pursuant to this Order, upon a written and substantiated showing of good cause. All requests for extensions by Mr. Shekhani shall be made in writing to the Executive Director. Extensions are not effective until Mr. Shekhani receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director.
- 5. The Executive Director may refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings without notice to Mr. Shekhani if the Executive Director determines that Mr. Shekhani has not complied with one or more of the terms or conditions in this Order.
- 6. This Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Order, whichever is later.
- 7. The Chief Clerk shall provide a copy of this Order to each of the parties. By law, the effective date of this Order shall be the date the Order is final, as provided by 30 Tex. ADMIN. CODE § 70.106(d) and Tex. Gov't Code § 2001.144.

Afzal Shekhani dba Bender Texaco DOCKET NO. 2006-1565-PST-E Page 6

SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

For the Commission

AFFIDAVIT OF DINNIAH M. CHAHIN

STATE OF TEXAS §
COUNTY OF TRAVIS §

"My name is Dinniah M. Chahin. I am of sound mind, capable of making this affidavit, and the facts stated in this affidavit are within my personal knowledge and are true and correct.

On behalf of the Executive Director of the Texas Commission on Environmental Quality, I filed the "Executive Director's Preliminary Report and Petition Recommending that the Texas Commission on Environmental Quality Enter an Enforcement Order Assessing an Administrative Penalty Against and Requiring Certain Actions of Afzal Shekhani dba Bender Texaco" (the "EDPRP") with the Office of the Chief Clerk on February 26, 2007.

I sent the EDPRP to Mr. Shekhani at his last known address on February 26, 2007 via certified mail, return receipt requested, and via first class mail, postage prepaid. According to the return receipt "green card," Mr. Shekhani received notice of the EDPRP on February 28, 2007, as evidenced by the signature on the card.

More than 20 days have elapsed since Mr. Shekhani received notice of the EDPRP. Mr. Shekhani failed to file an answer to the EDPRP, failed to request a hearing, and failed to schedule a settlement conference."

Dinniah M. Chahin

Attorney

Texas Commission on Environmental Quality

Before me, the undersigned authority, on this day personally appeared Dinniah M. Chahin, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that she executed the same for the purposes and consideration herein expressed.

Given under my hand and seal of office this

day of _

, A.D., 2009.

Notary Public
State of Texas
Commission Expires

August 01, 2012

Notary Stamp